(MARK VITOW) CLEN - SYSTEM CLEANER

Page: 1 Compilation date: 29/07/2020 Revision date: 2.11.22 Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: (MARK VITOW) CLEN - SYSTEM CLEANER

Product code: CLEN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Concentrated heavy duty alkaline cleaner .

1.3. Details of the supplier of the safety data sheet

Company name: MARK VITOW LTD Unit 9 Delta Court Manor Way Borehamwood Hertfordshire WD6 1FJ Tel: 0208 207 3784 Email: info@markvitow.com

1.4. Emergency telephone number

Emergency tel: 0208 207 3784

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Irrit. 2: H315; Eye Irrit. 2: H319

Most important adverse effects: Causes skin irritation. Causes serious eye irritation.

2.2. Label elements

Label elements:	
Hazard statements:	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
Hazard pictograms:	GHS07: Exclamation mark



(MARK VITOW) CLEN - SYSTEM CLEANER

	Precautionary statements:	P102: Keep out of reach of children.
		P262: Do not get in eyes, on skin, or on clothing.
		P280: Wear protective gloves/protective clothing/eye protection/face protection.
		P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
		contact lenses, if present and easy to do. Continue rinsing.
		P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
		P302+P350: IF ON SKIN: Gently wash with plenty of soap and water.
	Haz. ingredients (label):	Contains:
		DISODIUM METASILICATE
		TETRASODIUM ETHYLENE DIAMINE TETRA-ACETATE
~		

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

DISODIUM METASILICATE - REACH registered number(s): 01-2119449811-37-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
229-912-9	6834-92-0	-	Skin Corr. 1B: H314; STOT SE 3: H335	1-10%

TETRA-SODIUM ETHYLENEDIAMINE TETRA-ACETATE - REACH registered number(s): 01-2119486762-27-XXXX

200-573-9	64-02-8	-	STOT RE 2: H373; Acute Tox. 4: H332;	1-10%
			Eye Dam. 1: H318; Met. Corr. 1: H290;	
			Skin Irrit. 2: H315	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: No symptoms.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Page: 2

(MARK VITOW) CLEN - SYSTEM CLEANER

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes. Water based product. Advice relates to dry residues after water has evaporated.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leakside up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding. Warning relates to a large spillage, not a single bottle.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Wash the spillage site with large amounts of water. Single bottle spillage: wash down the drain with a large amount of water.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

(MARK VITOW) CLEN - SYSTEM CLEANER

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

TETRA-SODIUM ETHYLENEDIAMINE TETRA-ACETATE

Workplace exposure limits:		Respirable dust:		
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	2.5mg/m3	2.5mg/m3	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area.
Respiratory protection:	Self-contained breathing apparatus is recommended in the event of fire or major
	spillage, or insufficient ventilation (see also section 5).
Hand protection:	Protective gloves.
Eye protection:	Safety glasses. Ensure eye bath is to hand.
Skin protection:	Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid		
	Colourless		
Odour:	Barely perceptible odour		
Evaporation rate:	Slow		
Solubility in water:	Highly soluble		
Viscosity:	Non-viscous		
Boiling point/range°C:	100	Melting point/range°C:	0
Flammability limits %: lower:	Not applicable.	upper:	Not applicable.
Flash point°C:	Not applicable.	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	Not applicable.	Vapour pressure:	Not applicable.
Relative density:	1.060	pH:	11 - 12
VOC g/l:	0		

(MARK VITOW) CLEN - SYSTEM CLEANER

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

DISODIUM METASILICATE

ORAL RAT LD50 1280 mg/kg

TETRA-SODIUM ETHYLENEDIAMINE TETRA-ACETATE

DERMAL	GPG	LD50	5000	mg/kg
ORL	RAT	LD50	3030	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

(MARK VITOW) CLEN - SYSTEM CLEANER

Page: 6

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: No symptoms.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

DISODIUM METASILICATE

Daphnia magna	48H EC50	216	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	210	mg/l

TETRA-SODIUM ETHYLENEDIAMINE TETRA-ACETATE

	FISH	96H LC50	>100	mg/l
--	------	----------	------	------

12.2. Persistence and degradability

Persistence and degradability: Readily dissociates on dilution into harmless components. The surfactant(s) contained

in this preparation complies (comply) with the biodegradability criteria as laid down in

Regulation (EC) No. 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil. Volatile. Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations:	The product will not be dangerous to the environment when diluted in waste water
	systems and may be disposed of as low-hazard chemical waste within the scope of
	national and local regulations/permits.
Recovery operations:	Not applicable.
Waste code number:	20 01 15
Disposal of packaging:	Dispose of as normal industrial waste. Clean with water.
NB:	The user's attention is drawn to the possible existence of regional or national
	regulations regarding disposal.

(MARK VITOW) CLEN - SYSTEM CLEANER

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830. All substances in this preparation are registered within UK/EU/EFTA countries under the REACH (UK/EC) (ammended) regulations, EC 1907/2006 Product requires CRC (child resistant closure) and TDW (tactile danger warning) for retail sale to the general public. IMPORTANT NOTE: Risk phases in this section below relate to the INDIVIDUAL COMPONENTS in the formulation when used at their FULL CONCENTRATIONS, and not at the reduced levels in the mixed product. See sections 2 and 3 for the calculated hazard and risk phrases for the blended product. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H318: Causes serious eye damage. H319: Causes serious eye irritation. H323: Harmful if inhaled. H335: May cause respiratory irritation. H336: May cause damage to grages (lungs) through prolonged or repeated exposure (if	Other information		
REACH (UK/EC) (ammended) regulations, EC 1907/2006Product requires CRC (child resistant closure) and TDW (tactile danger warning) for retail sale to the general public.IMPORTANT NOTE:Risk phases in this section below relate to the INDIVIDUAL COMPONENTS in the formulation when used at their FULL CONCENTRATIONS, and not at the reduced levels in the mixed product.Phrases used in s.2 and s.3:H290: May be corrosive to metals. H314: Causes severe skin burns and eye damage. H315: Causes serious eye damage. H319: Causes serious eye irritation.H319: Causes serious eye irritation. H332: Harmful if inhaled. H335: May cause respiratory irritation.	Other information:		
 Product requires CRC (child resistant closure) and TDW (tactile danger warning) for retail sale to the general public. IMPORTANT NOTE: Risk phases in this section below relate to the INDIVIDUAL COMPONENTS in the formulation when used at their FULL CONCENTRATIONS, and not at the reduced levels in the mixed product. See sections 2 and 3 for the calculated hazard and risk phrases for the blended product. Phrases used in s.2 and s.3: H290: May be corrosive to metals. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H318: Causes serious eye damage. H319: Causes serious eye irritation. H319: Causes serious eye irritation. H332: Harmful if inhaled. H335: May cause respiratory irritation. 		All substances in this preparation are registered within UK/EU/EFTA countries under the	
retail sale to the general public. IMPORTANT NOTE: Risk phases in this section below relate to the INDIVIDUAL COMPONENTS in the formulation when used at their FULL CONCENTRATIONS, and not at the reduced levels in the mixed product. See sections 2 and 3 for the calculated hazard and risk phrases for the blended product. Phrases used in s.2 and s.3: H290: May be corrosive to metals. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H318: Causes serious eye damage. H319: Causes serious eye irritation. H319: Causes serious eye irritation. H332: Harmful if inhaled. H335: May cause respiratory irritation.		REACH (UK/EC) (ammended) regulations, EC 1907/2006	
IMPORTANT NOTE:Risk phases in this section below relate to the INDIVIDUAL COMPONENTS in the formulation when used at their FULL CONCENTRATIONS, and not at the reduced levels in the mixed product.See sections 2 and 3 for the calculated hazard and risk phrases for the blended product.Phrases used in s.2 and s.3:H290: May be corrosive to metals.H314: Causes severe skin burns and eye damage.H315: Causes skin irritation.H318: Causes serious eye damage.H319: Causes serious eye irritation.H319: Causes serious eye irritation.H332: Harmful if inhaled.H335: May cause respiratory irritation.		Product requires CRC (child resistant closure) and TDW (tactile danger warning) for	
Risk phases in this section below relate to the INDIVIDUAL COMPONENTS in the formulation when used at their FULL CONCENTRATIONS, and not at the reduced levels in the mixed product.Phrases used in s.2 and s.3:H290: May be corrosive to metals.H314: Causes severe skin burns and eye damage.H315: Causes skin irritation.H318: Causes serious eye damage.H319: Causes serious eye irritation.H319: Causes serious eye irritation.H332: Harmful if inhaled.H335: May cause respiratory irritation.		retail sale to the general public.	
And the instant of t		IMPORTANT NOTE:	
in the mixed product.See sections 2 and 3 for the calculated hazard and risk phrases for the blended product.Phrases used in s.2 and s.3:H290: May be corrosive to metals.H314: Causes severe skin burns and eye damage.H315: Causes skin irritation.H318: Causes serious eye damage.H319: Causes serious eye irritation.H319: Causes serious eye irritation.H332: Harmful if inhaled.H335: May cause respiratory irritation.		Risk phases in this section below relate to the INDIVIDUAL COMPONENTS in the	
Phrases used in s.2 and s.3:See sections 2 and 3 for the calculated hazard and risk phrases for the blended product.Phrases used in s.2 and s.3:H290: May be corrosive to metals.H314: Causes severe skin burns and eye damage.H315: Causes skin irritation.H318: Causes serious eye damage.H318: Causes serious eye damage.H319: Causes serious eye irritation.H319: Causes serious eye irritation.H332: Harmful if inhaled.H335: May cause respiratory irritation.		formulation when used at their FULL CONCENTRATIONS, and not at the reduced levels	
Phrases used in s.2 and s.3:H290: May be corrosive to metals.H314: Causes severe skin burns and eye damage.H315: Causes skin irritation.H318: Causes serious eye damage.H319: Causes serious eye irritation.H32: Harmful if inhaled.H335: May cause respiratory irritation.		in the mixed product.	
 H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H318: Causes serious eye damage. H319: Causes serious eye irritation. H332: Harmful if inhaled. H335: May cause respiratory irritation. 		See sections 2 and 3 for the calculated hazard and risk phrases for the blended product.	
 H315: Causes skin irritation. H318: Causes serious eye damage. H319: Causes serious eye irritation. H332: Harmful if inhaled. H335: May cause respiratory irritation. 	Phrases used in s.2 and s.3:	H290: May be corrosive to metals.	
H318: Causes serious eye damage. H319: Causes serious eye irritation. H332: Harmful if inhaled. H335: May cause respiratory irritation.		H314: Causes severe skin burns and eye damage.	
H319: Causes serious eye irritation. H332: Harmful if inhaled. H335: May cause respiratory irritation.		H315: Causes skin irritation.	
H332: Harmful if inhaled. H335: May cause respiratory irritation.		H318: Causes serious eye damage.	
H335: May cause respiratory irritation.		H319: Causes serious eye irritation.	
		H332: Harmful if inhaled.	
H373: May cause damage to organs (lungs) through prolonged or repeated exposure (if		H335: May cause respiratory irritation.	
		H373: May cause damage to organs (lungs) through prolonged or repeated exposure (if	
mist inhaled).		mist inhaled).	
Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive	Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive	
and shall be used only as a guide. This company shall not be held liable for any		and shall be used only as a guide. This company shall not be held liable for any	
damage resulting from handling or from contact with the above product.		damage resulting from handling or from contact with the above product.	