(MARK VITOW) CORROSION INHIBITOR (NSF)

Page: 1 Compilation date: 31/01/2019 Revision date: 02.11.22

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: (MARK VITOW) CORROSION INHIBITOR (NSF)

Product code: INHB

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Water based corrosion inhibitor.

1.3. Details of the supplier of the safety data sheet

Company name: MARK VITOW LTD Unit 9 Delta Court Manor Way Borehamwood Hertfordshire WD6 1FJ Tel: 0208 207 3784 Email: info@markvitow.com

1.4. Emergency telephone number

Emergency tel: 0208 207 3784

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Irrit. 2: H315; Eye Irrit. 2: H319

Most important adverse effects: Causes skin irritation. Causes serious eye irritation.

2.2. Label elements

Label elements:	
Hazard statements:	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
Hazard pictograms:	GHS07: Exclamation mark



[cont...]

(MARK VITOW) CORROSION INHIBITOR (NSF)

		Page:	2
Precautionary statements:	P102: Keep out of reach of children.		
	P260: Do not breathe spray.		
	P262: Do not get in eyes, on skin, or on clothing.		
	P280: Wear protective gloves/protective clothing/eye protection/face protection.		
	P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting		
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove		
	contact lenses, if present and easy to do. Continue rinsing.		
	P302+P350: IF ON SKIN: Gently wash with plenty of soap and water.		
Haz. ingredients (label):	Contains:		
	BENZOTRIAZOLE		
	TETRAPOTASSIUM PYROPHOSPHATE		

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

MONO PROPYLENE GLYCOL - REACH registered number(s): 01-2119456809-23-XXXX

		5		
EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-338-0	57-55-6	Substance with a Community workplace exposure limit.	-	1-10%
TRIETHANOLA	MINE - REACH r	egistered number(s): 01-2119486482-3	31-XXXX	
203-049-8	102-71-6	Substance with a Community workplace exposure limit.	-	1-10%
TETRAPOTASS	SIUM PYROPHO	SPHATE - REACH registered number(s): 01-2119489369-18-XXXX	
230-785-7	7320-34-5	-	Eye Irrit. 2: H319	1-10%
BENZOTRIAZO	LE - REACH reg	istered number(s): 01-2119979079-20-	-xxxx	
202-394-1	95-14-7	-	Acute Tox. 4: H302+H312+H332; Eye Irrit. 2: H319	1-10%

Non-classified ingredients:

PHOSPHONOBUTANE TRICARBOXYLIC ACID - REACH registered number(s): 01-2119436643-39-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
253-733-5	37971-36-1	-	Met. Corr. 1: H290	<1%

(MARK VITOW) CORROSION INHIBITOR (NSF)

DISODIUM MOLYBDATE DIHYDRATE - REACH registered number(s): 01-2119489495-21-XXXX 231-551-7 10102-40-6 _ _ <1% Section 4: First aid measures 4.1. Description of first aid measures Skin contact: Wash immediately with plenty of soap and water. Eye contact: Bathe the eye with running water for 15 minutes. Ingestion: Wash out mouth with water. Inhalation: Move to fresh air in case of accidental inhalation of vapours. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: There may be mild irritation at the site of contact. Eye contact: There may be irritation and redness. Ingestion: There may be irritation of the throat. **Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Delayed / immediate effects: Immediate effects can be expected after short-term exposure. 4.3. Indication of any immediate medical attention and special treatment needed Immediate / special treatment: Not applicable. Section 5: Fire-fighting measures 5.1. Extinguishing media Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers. 5.2. Special hazards arising from the substance or mixture Exposure hazards: In combustion emits toxic fumes. Water based product. Advice relates to dry residues after water has evaporated. 5.3. Advice for fire-fighters Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-

side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding. Warning relates to a large spillage, not a single bottle.

(MARK VITOW) CORROSION INHIBITOR (NSF)

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method. Single bottle spillage: wash down the drain with a large amount of water. Wash the spillage site with large amounts of water.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

MONO PROPYLENE GLYCOL

Workplace	exposure	limits:
1101 April 00	onpooulo	

Respirable dust:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	150 ppm	No standard	-	-

TRIETHANOLAMINE

5 mg/m3 (no std.)	
-------------------	--

DNEL/PNEC Values

UK

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area.
Respiratory protection:	Respiratory protection not required.
Hand protection:	Protective gloves.
Eye protection:	Safety glasses. Ensure eye bath is to hand.
Skin protection:	Protective clothing.

(MARK VITOW) CORROSION INHIBITOR (NSF)

Page: 5

Section 9: Physical and chemical properties

9.1. Information on basic phys	sical and chemical properties		
State:	Liquid		
Colour:	Colourless to pale straw.		
Odour:	Faint aromatic		
Evaporation rate:	Slow		
Solubility in water:	Highly soluble		
Viscosity:	Non-viscous		
Boiling point/range°C:	100	Melting point/range°C:	0
Flammability limits %: lower:	Not applicable.	upper:	Not applicable.
Flash point°C:	Not applicable.	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	Not applicable.	Vapour pressure:	Not applicable.
Relative density:	1.075 - 1.095	pH:	8.0 - 9.0
VOC g/l:	0		

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

(MARK VITOW) CORROSION INHIBITOR (NSF)

Page: 6

Hazardous ingredients:

MONO PROPYLENE GLYCOL

ORL RAT LD50	>5000	mg/Kg
--------------	-------	-------

TRIETHANOLAMINE

ORL	RAT	LD50	>2	g/kg
SKN	RBT	LD50	>10	g/kg

TETRAPOTASSIUM PYROPHOSPHATE

ORL RBT LD50 >2000 mg/kg

BENZOTRIAZOLE

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	560	mg/kg

Non-classified ingredients:

PHOSPHONOBUTANE TRICARBOXYLIC ACID

DERMAL	RAT	LD50	>4000	mg/kg
ORAL	RAT	LD50	>6500	mg/kg

DISODIUM MOLYBDATE DIHYDRATE

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	2733	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

(MARK VITOW) CORROSION INHIBITOR (NSF)

Page: 7

Hazardous ingredients:

TRIETHANOLAMINE

FISH	48H EC50	1390	mg/l
FISH	96H LC50	>5000	mg/l

TETRAPOTASSIUM PYROPHOSPHATE

RAINBOW TROUT (Oncorhynchus mykiss)96H LC50100mg/l	RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	100	mg/l
--	-------------------------------------	----------	-----	------

BENZOTRIAZOLE

ZEBRAFISH (Brachydanio rerio)96H LC50>100mg/l	AFISH (Brachydanio rerio) 96H L	.C50 >100	mg/l
---	---------------------------------	-----------	------

PHOSPHONOBUTANE TRICARBOXYLIC ACID

|--|

DISODIUM MOLYBDATE DIHYDRATE

Daphnia magna	48H EC50	2729	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	781	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable. The surfactant(s) contained in this preparation complies (comply) with

the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil. Volatile. Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: The product will not be dangerous to the environment when diluted in waste water systems and may be disposed of as low-hazard chemical waste within the scope of national and local regulations/permits.

Recovery operations: Not applicable.

(MARK VITOW) CORROSION INHIBITOR (NSF)

Page: 8

Waste code number: 20 01 30

Disposal of packaging: Dispose of as normal industrial waste. Clean with water.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	2015/830.
	All substances in this preparation are registered within UK/EU/EFTA countries under the
	REACH (UK/EC) (ammended) regulations, EC 1907/2006
	IMPORTANT NOTE:
	Risk phases in this section below relate to the INDIVIDUAL COMPONENTS in the
	formulation when used at their FULL CONCENTRATIONS, and not at the reduced levels
	in the mixed product.
	See sections 2 and 3 for the calculated hazard and risk phrases for the blended product.
Phrases used in s.2 and s.3:	H290: May be corrosive to metals.
	H302+H312+H332: Harmful if swallowed, in contact with skin or if inhaled
	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.